



# Welcome to FAQ section!

This section is focused on Frequently Asked Questions divided by product groups. In case you have not found the information you were looking for feel free to contact your local distributor for support.

## Intercom Systems

- Intercom Systems

  - 2N IP & LTE Intercoms

  - 2N Analog Intercoms

    - 2N® Indoor Touch

  - 2N® Indoor Touch 2.0

    - 2N® Indoor Talk

  - 2N® Indoor Compact

    - 2N® Indoor View

    - Access Control

  - 2N® Access Commander

    - 2N Access Unit

  - Elevator Systems

    - 2N® Lift8

    - 2N® Lift1

    - 2N® LiftNet

    - 2N® SingleTalk

    - 2N® Lift IP

    - My2N

    - 2N® Mobile Video

  - 2N® Remote Configuration

## IP Audio

    - IP Audio Systems

    - 2N Net Audio Systems

    - 2N SIP Audio Systems

## M2M

    - M2M



2N® SmartCom PRO  
from firmware version 1.13.x

#### M2M

2N® SmartCom, 2N® SmartCom PRO  
up to firmware version 1.12.x

#### GSM Gateways

##### Analogue

2N® VoiceBlue MAX

2N® EasyGate

2N® SmartGate

##### Digital - ISDN BRI

2N® BRI Lite

2N® BRI Enterprise

##### Digital - ISDN PRI

2N® StarGate

2N® BlueStar

2N® BlueTower

##### VoIP

2N® VoiceBlue Next

2N® VoiceBlue Lite

#### UMTS Gateways

UMTS Gateways

2N® OfficeRoute

#### Wireless Routers

##### LTE Routers

2N® SpeedRoute

##### UMTS Routers



2N® EasyRoute

PBX

PBX

2N® NetStar

2N® NetStar SW

2N® Omega Lite

2N® Omega 48

SIM Management

SIM Management

2N® SIM Star - SIM server

Process of repair

Process of repair

2N® Process of repair

---